

# AMERICAN Essentials

## Division 9

### Pursuit<sup>2</sup>

#### Product Specifications & Technical Data

PROPERTY	RESULTS	TEST METHOD
Dimensions	24" x 24" Interlocking	
Thickness	9 mm - 3/8"	
Composition	65% black sbr, 35% epdm	
Weight sq. ft.	2 lbs.	
Density	60 pcf	ASTM D3676
Hardness	60 +/-5	ASTM D2240
Tear Strength	80 pli min	ASTM D624
Elongation	> 145%	ASTM D412
Tensile Strength	> 220 psi	ASTM D412
Flexibility	Pass	ASTM F137
Chemical Resistance	No Change	ASTM F925

\* Manufactured by Regupol America in Lebanon, PA